

Package: modelimpact (via r-universe)

August 26, 2024

Type Package

Title Functions to Assess the Business Impact of Churn Prediction Models

Version 1.0.0

Author Peer Christensen

Maintainer Peer Christensen <hr.pchristensen@gmail.com>

Description Calculate the financial impact of using a churn model in terms of cost, revenue, profit and return on investment.

License MIT + file LICENSE

URL <https://github.com/PeerChristensen/modelimpact>

BugReports <https://github.com/PeerChristensen/modelimpact/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Imports dplyr, magrittr, utils

Depends R (>= 2.10)

Repository <https://peerchristensen.r-universe.dev>

RemoteUrl <https://github.com/peerchristensen/modelimpact>

RemoteRef HEAD

RemoteSha 76556aee13596a2227bcb6e693a04d7677e0188e

Contents

cost_revenue	2
predictions	3
profit	3
profit_thresholds	4
roi	5

Index	7
--------------	----------

cost_revenue	<i>Calculate cost and revenue</i>
--------------	-----------------------------------

Description

Calculates cost and revenue after sorting observations.

Usage

```
cost_revenue(
  x,
  fixed_cost = 0,
  var_cost = 0,
  tp_val = 0,
  prob_col = NA,
  truth_col = NA
)
```

Arguments

<code>x</code>	A data frame containing predicted probabilities of a target event and the actual outcome/class.
<code>fixed_cost</code>	Fixed cost (e.g. of a campaign)
<code>var_cost</code>	Variable cost (e.g. discount offered)
<code>tp_val</code>	The average value of a True Positive
<code>prob_col</code>	The unquoted name of the column with probabilities of the event of interest.
<code>truth_col</code>	The unquoted name of the column with the actual outcome/class. Possible values are 'Yes' and 'No'.

Value

A data frame with the following columns:

```
row = row numbers
pct = percentiles
cost_sum = cumulated costs
cum_rev = cumulated revenue
```

Examples

```
cost_revenue(predictions,
  fixed_cost = 1000,
  var_cost = 100,
  tp_val = 2000,
  prob_col = Yes,
  truth_col = Churn)
```

predictions	<i>Predictions from a customer churn model.</i>
-------------	---

Description

A dataset containing 2145 observations with four columns specifying predicted probabilities and predicted and actual class.

Usage

```
predictions
```

Format

A data frame with 2145 rows and 4 variables:

predict Predicted class

No Predicted probability of class 'No'

Yes Predicted probability of class 'Yes'

Churn Actual class ...

profit	<i>Calculate profit</i>
--------	-------------------------

Description

Calculates profit after sorting observations.

Usage

```
profit(  
  x,  
  fixed_cost = 0,  
  var_cost = 0,  
  tp_val = 0,  
  prob_col = NA,  
  truth_col = NA  
)
```

Arguments

x	A data frame containing predicted probabilities of a target event and the actual outcome/class.
fixed_cost	Fixed cost (e.g. of a campaign)
var_cost	Variable cost (e.g. discount offered)
tp_val	The average value of a True Positive
prob_col	The unquoted name of the column with probabilities of the event of interest.
truth_col	The unquoted name of the column with the actual outcome/class. Possible values are 'Yes' and 'No'.

Value

A data frame with the following columns:

row = row numbers

pct = percentiles

profit = profit for number of rows selected

Examples

```
profit(predictions,
  fixed_cost = 1000,
  var_cost   = 100,
  tp_val     = 2000,
  prob_col   = Yes,
  truth_col  = Churn)
```

profit_thresholds *Find optimal threshold for churn prediction (class)*

Description

Finds the optimal threshold (from a business perspective) for classifying churners.

Usage

```
profit_thresholds(
  x,
  var_cost = 0,
  prob_accept = 1,
  tp_val = 0,
  fp_val = 0,
  tn_val = 0,
  fn_val = 0,
  prob_col = NA,
  truth_col = NA
)
```

Arguments

x	A data frame containing predicted probabilities of a target event and the actual outcome/class.
var_cost	Variable cost (e.g. of a campaign offer)
prob_accept	Probability of offer being accepted. Defaults to 1.
tp_val	The average value of a True Positive. 'var_cost' is automatically subtracted.
fp_val	The average cost of a False Positive. 'var_cost' is automatically subtracted.
tn_val	The average value of a True Negative.
fn_val	The average cost of a False Negative.
prob_col	The unquoted name of the column with probabilities of the event of interest.
truth_col	The unquoted name of the column with the actual outcome/class. Possible values are 'Yes' and 'No'.

#' @return A data frame with the following columns:
 threshold = prediction thresholds
 payoff = calculated profit for each threshold

Examples

```
profit_thresholds(predictions,
  var_cost = 100,
  prob_accept = .8,
  tp_val = 2000,
  fp_val = 0,
  tn_val = 0,
  fn_val = -2000,
  prob_col = Yes,
  truth_col = Churn)
```

roi

*Calculate Return on investment (ROI)***Description**

Calculates ROI after sorting observations with ROI defined as (Current Value - Start Value) / Start Value

Usage

```
roi(x, fixed_cost = 0, var_cost = 0, tp_val = 0, prob_col = NA, truth_col = NA)
```

Arguments

x	A data frame containing predicted probabilities of a target event and the actual outcome/class.
fixed_cost	Fixed cost (e.g. of a campaign)
var_cost	Variable cost (e.g. discount offered)
tp_val	The average value of a True Positive
prob_col	The unquoted name of the column with probabilities of the event of interest.
truth_col	The unquoted name of the column with the actual outcome/class. Possible values are 'Yes' and 'No'.

Value

A data frame with the following columns:

row = row numbers
pct = percentiles
cum_rev = cumulated revenue
cost_sum = cumulated costs
roi = return on investment

Examples

```
roi(predictions,  
    fixed_cost = 1000,  
    var_cost   = 100,  
    tp_val     = 2000,  
    prob_col   = Yes,  
    truth_col  = Churn)
```

Index

* **datasets**

 predictions, 3

cost_revenue, 2

predictions, 3

profit, 3

profit_thresholds, 4

roi, 5